

# Gestetner

*All-In-One Solutions For Your Business Needs*



D I G I T A L I M A G I N G S Y S T E M S

*DSm615/DSm618/DSm618d*

50-Sheet Automatic Reversing Document Feeder\*

Control Panel

One Bin Tray

Indicator Light  
Lights when documents are in tray

100-Sheet Bypass Tray

Standard 2 x 250-Sheet Paper Banks

Optional 2 x 500-Sheet Paper Bank

Storage Cabinet  
(small shown)



DSm618d fully configured system shown above.  
\*Available for DSm618d only.

## Keeping Productivity High & Costs Low

EFFICIENT DOCUMENT MANAGEMENT IS KEY TO YOUR BOTTOM LINE. WITH THE RELIABLE, AFFORDABLE GESTETNER DSm615/618/618d, YOUR FAST-PACED BUSINESS OR OFFICE WORKGROUP WILL BENEFIT FROM OPTIMAL WORKFLOW PRODUCTIVITY. THESE ALL-IN-ONE COPY-PRINT-SCAN-AND-FAX SYSTEMS PUT ADVANCED DIGITAL TECHNOLOGY AND OUTSTANDING IMAGE QUALITY AT YOUR FINGERTIPS TO MAKE DOCUMENT CREATION QUICK AND EASY!


### POWER/VERSATILITY TO SUIT YOUR EVERY NEED

The Gestetner DSm615/618/618d are designed to meet all your business requirements, providing superior digital copying at 15 (DSm615) and 18 (DSm618/618d) pages per minute, connectivity for cutting-edge printing, plus impressive scanning and faxing functions. With the optional ARDF, the smart DSm618d also enables duplexing to help you reduce paper costs and file space by creating two-sided copies. Your printed and faxed output can be two-sided also, when you add the Printer/Scanner and/or Faxing capabilities.

What's more, these versatile yet space-saving systems:

- Provide optional printing/scanning and faxing as you need them, or you can start off with a fully configured all-in-one system for increased productivity.
- Possess advanced digital features accessed via the easy-to-use Control Panel so your documents always look professional.
- Deliver an ample paper supply that's upgradeable to 1,600 sheets on the Gestetner DSm618/618d, or 1,350 sheets on the DSm615, assuring virtually uninterrupted output.

## Embedded Scan To E-Mail



Send documents from the DSm615/DSm618/DSm618d with Embedded Scan to E-mail. Just scan hardcopy documents and then immediately distribute them to multiple e-mail addresses, saving both time and money.

- Maximize cost and space efficiency – they perform the job of four systems in one.
- Feature a dual component consumable design to minimize routine maintenance, enhance image quality and reduce cost-per-page production.
- Accommodate paper handling of sheets up to 11" x 17" for large-sized documents.

### ON-DEMAND PRINT PRODUCTIVITY

The optional Printer/Scanner comes standard with Ethernet and USB interfaces and expands your work capabilities by turning these advanced systems into network printers.

- Instant compatibility with today's most popular network platforms supports your existing LAN network and keeps your work stream flowing smoothly.



Advanced connectivity options include USB, Ethernet, Wireless and IEEE 1394.


- Specialized connectivity needs are also accommodated with optional wireless LAN, Bluetooth, IEEE 1394 and IEEE 1284 Parallel interfaces.
- Customize job settings plus enjoy speedy processing of complex graphics with our innovative standard next-generation print driver, Refined Print Command Stream (RPCS).

- Easy connectivity assures support for PC and Macintosh printing with standard PCL and optional Adobe® PostScript® 3™.

### SEAMLESS, EFFORTLESS SCANNING

- The Gestetner DSm615/618/618d make managing hardcopy and electronic files a breeze. With the advanced Printer/Scanner kit, true 600 dpi scanning is at your disposal to optimize productivity.
- Embedded Scan to E-mail is a simple way to distribute documents – just send to recipient's PC over the Internet or intranet as e-mail.

- Network TWAIN driver lets you scan documents set on the system and incorporate them into your PC application.
- ScanRouter Lite delivers scanned documents to the Delivery Server "in" tray or folder. Client PCs can receive documents automatically or manually, then view and copy documents by using DesktopBinder Lite.



## Access Advanced Digital Features – Print, Scan, Fax And Copy – Right From The Control Panel



4-line, 27-digit backlit display  
4 cursor keys

Easily navigate print, scan, fax, copy and document management functions

### YOU'RE ALWAYS IN CONTROL


As powerful document management tools, the Gestetner DSm615/618/618d give you total control of your copied, printed, scanned and faxed documents.

- Manage your documents and various settings remotely with Web Image Monitor, our handy web-based utility, using a standard web browser at any connected PC. Monitor system status, paper and toner supply, your job log, and even your address book.
- The comprehensive management utility SmartDevice-Monitor enables easy network installation, offering powerful print management capabilities for users and administrators in addition to real-time information like system configuration/status and paper stock.

### DIVERSE FAXING CAPABILITIES

The Gestetner DSm615/618/618d equip you with cutting-edge fax functionality comparable to many high-end and more costly standalone facsimile systems.

- Ultra-fast three-second transmission time keeps phone bill expenses down.
- Platen-based design lets you fax bound originals without having to create single-sided originals.
- Sophisticated features such as Dual Access and Batch Transmission boost fax productivity.
- Conveniently LAN Fax (requires Printer/Scanner/Fax kit) right from your PC and send hardcopy faxes to recipients' facsimile system.



*The 1-Bin Tray option identifies inbound faxes and keeps them separated from print and copy output.*

- T.37-compliant Internet Faxing (requires Printer/Scanner/Fax kit) enhances fax communication by letting you send hardcopy documents to recipients in hardcopy form or as a TIFF-F e-mail attachment, cutting long distance and international costs.

# There's A DSm615/DSm618/DSm618d That Meets The Unique Requirements Of Your Office.



Model Number	DSm615	DSm618	DSm618d
Copy/Print Speed	15 PPM	18 PPM	18 PPM
Standard Paper Capacity	350 Sheets	600 Sheets	600 Sheets
Maximum Paper Capacity	1,350 Sheets	1,600 Sheets	1,600 Sheets
Network Printing/ Scanning	Optional	Optional	Optional
Faxing	Optional	Optional	Optional
LAN-Faxing	Optional	Optional	Optional
Internet Faxing (T.37)	Optional	Optional	Optional
Automatic Duplexing	Not Available	Not Available	With Optional ARDF

## ENVIRONMENTALLY CONSCIOUS

The environmentally friendly Gestetner DSm615/618/618d are equipped with sophisticated energy-saving features.

- Revolutionary Quick Start Up Technology automatically triggers Sleep Mode after a minute of operation when you're called away from the system. Power consumption in Sleep Mode is only 1W, far less than the Energy Star regulation.
- Utilizing a heat roller with ultra thin shell and a dual internal heater as well as Low Temperature Fusing Toner, the systems boast Short Recovery Time so you're up and running again in just 10 seconds!



*The DSm615/DSm618/DSm618d's dual component design makes toner replacement a breeze.*

- Exceptional duplex productivity (Gestetner DSm618d) keeps paper usage and file space to a minimum.
- Low Operation Noise Design ensures quieter surroundings even if close to your desk.

The low-cost, high-performance Gestetner DSm615/618/618d make every work day productive.

For more information and a product demonstration, contact your authorized Gestetner Dealer.

[www.gestetnerusa.com](http://www.gestetnerusa.com)



*Automatic Duplexing on the DSm618d (with optional ARDF), lets you copy and print two-sided documents up to 11" x 17".*

# D5m615/D5m618/ D5m618d

## Engine Specifications

<b>Imaging Process</b>	Dry Process, (dual component)
<b>Reading Element</b>	Solid State Scanner
<b>Configuration</b>	Desktop
<b>Resolution</b>	600 x 600 dpi
<b>Grayscale</b>	256 Gradation Levels
<b>Paper Supply</b>	250 Sheet Tray (D5m615) 250 Sheets x 2 Trays (D5m618/D5m618d)
<b>Bypass</b>	100 Sheets, #10 Envelopes
<b>Paper Weight</b>	16 to 42 lb. Bond
<b>Output Tray Capacity</b>	250 Sheets
<b>Power Source</b>	120V/60Hz/15A
<b>Dimensions (WxDxH)</b>	21.65" x 22.36" x 16.54" (D5m615) 21.65" x 22.36" x 21.97" (D5m618) 23.11" x 22.36" x 21.97" (D5m618d)
<b>Weight</b>	78 lbs. (D5m615); 96 lbs. (D5m618); 103 lbs. (D5m618d)

## Copier Specifications

<b>Warm Up Time</b>	15 Seconds
<b>First Copy Speed</b>	6.5 Seconds
<b>Multi-Copy Speed</b>	15 copies/minute Letter (D5m615) 18 copies/minute Letter (D5m618/D5m618d)
<b>Quantity Indicator</b>	1 - 99
<b>Original Type</b>	Sheet/Book
<b>Original Size</b>	Up to 11" x 17"
<b>Copy Size</b>	5.5" x 8.5" to 11" x 17"
<b>Reproduction Ratios</b>	50%, 65%, 78%, 93%, 121%, 129%, 155%
<b>Zoom</b>	50% to 200% in 1% increments
<b>Memory Capacity</b>	16 MB

## Copier Features

Auto Image Density	Image Rotation
Auto Paper Select	Photo Mode
Auto Reduce/Enlarge	Rotate Sorting*
Auto Start	Scan Once, Print Many
Auto Tray Switching*	Series Copying
Combine Originals	User Codes (50)
Electronic Sorting	User Tools
Energy Saver Mode	*Requires optional paper bank on the D5m615.

## Network Printer Option Specifications

<b>Print Speed</b>	15 PPM (D5m615) 18 PPM (D5m618/D5m618d)
<b>Interface</b>	Standard Ethernet 10/100BaseT Standard USB 2.0 Optional IEEE 1394 Optional IEEE 802.11b Wireless LAN Optional Bluetooth
<b>Network Protocol</b>	Optional IEEE 1284 Parallel TCP/IP; IPX/SPX; NetBEUI, AppleTalk (Auto switching)
<b>Network Operating Systems</b>	Windows 95/98/NT 4.0/2000/XP/2003, Macintosh 8.6 - 9.2/10.1, Unix
<b>CPU Speed</b>	240 MHz
<b>Memory Capacity</b>	192 MB shared with Scanner/Fax/Copier
<b>Original Size</b>	Up to 11" x 17"
<b>Copy Size</b>	5.5" x 8.5" to 11" x 17"
<b>PDL</b>	Standard RPCS, PCL 5e/6 Optional Adobe PostScript 3
<b>Resolution</b>	600 x 600 dpi

## Printer Features

Automatic Tray Selection	Rotate Print
Envelope Printing	Tray Locking
Layout	Watermarks
Paper Size Settings	

## Network Scanner Option Specifications

<b>Scan Speed</b>	Embedded Scan to E-mail and ScanRouter Lite 43 IPM, Twain 25 IPM
<b>Interface</b>	Standard Ethernet 10/100BaseT Optional: IEEE 1394 Optional: IEEE 802.11b Wireless LAN
<b>Optical Resolution</b>	600 dpi
<b>Compression</b>	Binary: MH (default), MR, MMR
<b>Network Protocol</b>	TCP/IP
<b>Original Size</b>	11" x 17"
<b>File Format</b>	TIFF, PDF

## Scanner Features

Black and White Scanning	Standard ScanRouter Lite
Duplex Scanning (D5m618d)	Optional ScanRouter Pro
Embedded Scan to E-mail	Network TWAIN Scanning

## Facsimile Option Specifications

<b>Circuit</b>	PSTN, PBX
<b>Compatibility</b>	ITU-T G3
<b>Modem Speed</b>	33.6 Kbps V.34 with Auto Shift Down
<b>Transmission Speed</b>	G3; 3.0 Seconds*, **
<b>Scanning Speed</b>	1.0 Second
<b>Data Compression</b>	MH, MR, MMR, JBIG
<b>Resolution</b>	200 x 100/200/400 dpi
<b>Page Memory</b>	3 MB (160 sheets)
<b>Memory Backup</b>	1 Hour
<b>Quick Dials</b>	32
<b>Speed Dials</b>	150
<b>Group Dials</b>	10

\*Based on ITU-T Test Chart #1 in standard mode.

\*\*Approximately 3 seconds per page at 33.6 Kbps is dependent on optimal line quality. Customer performance may vary by location.

## Fax Features

Authorized Reception	LAN-Fax***
AI Short Protocol	Page Retransmission
Auto Reduction	Parallel Memory Transmission
Batch Transmission	Reception Time Printing
Battery Backup	Restricted Access
Dual Access	Send Later
Duplex Faxing (D5m618d)	Serial Broadcasting (300)
Error Correction Mode	Substitute Reception
Inbound Fax Routing***	User Function Keys (3)
Internet Fax (T.37)***	***Requires optional Scanner/Printer/Fax Kit

## Accessories

<b>DF78 Automatic Document Feeder</b>	
<b>Original Size</b>	5.5" x 8.5" to 11" x 17"
<b>Original Weight</b>	14 to 28 lb. Bond
<b>Original Capacity</b>	30 Sheets
<b>Dimensions (WxDxH)</b>	21.6" x 18.5" x 3.55"
<b>Weight</b>	15.4 lbs.

<b>DF79 Reversing Automatic Document Feeder (D5m618d)</b>	
<b>Original Size</b>	5.5" x 8.5" to 11" x 17"
<b>Original Weight</b>	Simplex Original: 10 to 34 lb. Bond; Duplex Original: 14 to 28 lb. Bond
<b>Original Capacity</b>	50 Sheets
<b>Dimensions (WxDxH)</b>	21.6" x 18.5" x 5.1"
<b>Weight</b>	22.05 lbs.

<b>PS460 Paper Bank*</b>	
<b>Paper Capacity</b>	500 Sheets x 1 Tray
<b>Paper Size</b>	5.5" x 8.5" to 11" x 17"
<b>Paper Weight</b>	16 to 28 lb. Bond
<b>Dimensions (WxDxH)</b>	21.6" x 20.5" x 10.6"
<b>Weight</b>	55.1 lbs.

<b>PS450 Paper Bank*</b>	
<b>Paper Capacity</b>	500 Sheets x 1 Tray
<b>Paper Size</b>	5.5" x 8.5" to 11" x 17"
<b>Paper Weight</b>	16 to 28 lb. Bond
<b>Dimensions (WxDxH)</b>	21.6" x 20.5" x 5.3"
<b>Weight</b>	26.05 lbs.

<b>Type PT340 One Bin Tray (D5m618/D5m618d)</b>	
<b>Paper Size</b>	5.5" x 8.5" to 11" x 17"
<b>Paper Weight</b>	16 to 28 lb.
<b>Paper Capacity</b>	100 Sheets
<b>Dimensions (WxDxH)</b>	Unit: 8.5" x 18.9" x 4.1" Tray: 13.2" x 15.4" x 1.1"
<b>Weight</b>	3.5 lbs.

\*Cabinets Available

# Gestetner

Gestetner Stamford, Connecticut 06904  
Windows® and Windows® 3.1/95/98/Me/NT4.0/2000/XP are registered trademarks of Microsoft Corporation. Macintosh®, Mac OS and AppleTalk® are registered trademarks of Apple Computer, Inc. Adobe® and PostScript® are trademarks of Adobe Systems, Inc. PCL® is a registered trademark of Hewlett-Packard Company. RPCS® is a trademark of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Product specifications subject to change without notice.  
♻️ Printed in U.S.A. on recycled paper. (G1884) 50M 1/04

