

Gestetner

Fast, productive, versatile color printer




FULL COLOR LASER PRINTER


C7010

Vibrant Full Color And Fast Black & White Printing... Together at Last.

WITH THE GESTETNER C7010, YOU CAN COVER ALL YOUR PRINTING NEEDS WITH ONE PRINTING SYSTEM. AT 10 PPM FOR FULL COLOR AND 36 PPM FOR BLACK AND WHITE, YOU'LL PRINT VIRTUALLY ANY BUSINESS DOCUMENT – POWER-POINT HANDOUTS, PROPOSALS THAT SAY “READ ME FIRST”, EASY-TO-READ SPREADSHEETS AND GENERAL CORRESPONDENCE – MORE RELIABLY AND AFFORDABLY THAN EVER BEFORE. PLUS, YOU'LL NO LONGER NEED TO FIND THE SPACE – OR MONEY – FOR TWO PRINTERS; THE C7010 BLENDS A SMALL FOOTPRINT WITH ADVANCED NETWORK CONNECTIVITY AND COMPREHENSIVE PAPER HANDLING CAPABILITIES, WHICH MEANS YOU MAY NEVER GO BACK TO SEPARATE COLOR AND BLACK AND WHITE PRINTERS!



The bypass tray can be used for envelopes or special paper.



PROFESSIONAL IMAGE QUALITY WITH EVERY CLICK

The C7010 produces exceptional full color and black and white output with 1800 x 600 dpi laser resolution. Documents with color images have rich details, smooth tonal images and clean, clear text. And, if CAD output is part of your business, the C7010's Fine Line Mode (available from the RPCS print driver) ensures exceptional reproduction of super-fine lines.

HANDLES ALL PRINT JOBS WITH EASE

When we say the C7010 does it all, we really mean it! Full color or black and white, duplexed and stapled – the C7010 is ready for business.

- Start print jobs right with the C7010's fast warm-up time and first print speed – you'll spend

less time waiting for print jobs and more time actually using your documents.

- Generate an amazing array of documents that used to require a trip to an outside vendor – including newsletters, brochures, flyers, manuals and more.


- Produce large print jobs without the worry of unexpected interruptions to replenish paper. Up to 1,350 sheets of paper – including cover stock, 12" x 18" and transparencies – ensure that the C7010 is up for any print job.

- Reduce paper and filing costs – but not print speed – with the C7010's automatic duplex option, which enables the C7010 to maintain virtually 100% of single-sided output speed when producing two-sided documents.




Print newsletters, stationery, forms, graphics – a wide variety of applications – right from your desktop.
 You can even print 11" x 17" full bleed on 12" x 18" paper for two page color proofs.

Others



C7010



The C7010 optimizes output speed for color and b/w, so all jobs are printed as quickly as possible.

- Add one of a variety of finishing options – including automatic stapling and addressable mailboxes – and eliminate unproductive and tedious manual finishing tasks.

- Spend less time on routine maintenance thanks to the C7010's long life and user-replaceable consumables.

A RELIABLE NETWORK PARTNER

You can count on the C7010's network productivity with support for multiple network protocols and advanced network management capabilities.

- Connect to your LAN using any one of a variety of connection choices: Standard Ethernet and USB ports ensure compatibility with most com-

mon network protocols. And, the optional IEEE 1394 Interface or IEEE 8-2.11b Wireless Interface further expand your connection options.

- Enjoy support for PC and Macintosh environments with a variety of PDLs – PCL, PostScript and Refined Print Command Stream (RPCS).

- Stop network gridlock by sending print jobs to the optional hard disk drive and then printing multiple sets at full engine speed. Additionally, the hard disk drive option enables you to preview jobs prior to outputting multiple sets – great for print jobs that include complex finishing instructions. And you can

send confidential jobs with instructions not to print until a private password is entered at the C7010's Control Panel.

- Easily manage print jobs while reducing "hands on" network administrator assistance using SmartNetMonitor. All you have to do is look at the icon on your Windows® Taskbar and you'll "see" valuable information – including system configuration, real-time status, toner levels and paper supplies. You'll also gain additional printing capabilities such as Recovery Printing and Parallel Printing.

EVERYTHING YOU NEED IN ONE BOX

With the Gestetner C7010 you can easily add color to your office, retire your old black and white printers, and make everyone on your network more productive and creative! For more information contact your authorized Gestetner dealer.

www.gestetnerusa.com



250-Sheet Paper Tray
 100-Sheet Bypass Tray



Optional Duplex Unit
 500-Sheet Tray (1 x 2)



Optional 500-Sheet Finisher
 500-Sheet Tray (1 x 2)



Optional 4-Bin Mailbox
 500-Sheet Tray (1 x 2)

C7010

COLOR LASER PRINTER

General Specifications

Configuration Technology	Desktop Printer Dual laser beam, electrophotographic printing and mono-component toner development
Resolution	600 x 600 dpi, 2 bits/pixel; 1800 x 600 dpi enhanced
Printing Speed	Full Color: 10 ppm (8.5" x 11"); 4 ppm (Thick media) Black & White: 36 ppm (8.5" x 11"); 6.5 ppm (Thick media)
Duplex Print Speed	More than 95% of the simplex print speed
First Print Speed	Less than 18 seconds full color Less than 7.5 seconds black & white
Dimensions (W x D x H)	25.0" x 26.4" x 18.5" (630 x 670 x 475mm) Note: Dimensions include bypass tray and controller box
Weight	130 lbs. (59kg) Note: Includes starter toner cartridges and maintenance kits
Input Capacity	Bypass Tray: 100 sheets Standard Tray: 250 sheets Up to 1,350 sheets total capacity
Output Capacity	Standard: 400 sheets (250 sheets of 11" x 17") Optional 500-sheet finishing unit
Paper Sizes	Optional 4-Bin Mailbox: 125-sheets x 4 Bins Trays: 5.5" x 8.5", 7.25" x 10.5", 8" x 13", 8.5" x 11", 8.5" x 14", 11" x 17", A3, A4, A5, A6, B4, B5, B6 Bypass tray: 5.5" x 8.5" to 12" x 18", Com 10, Monarch, C6, C5, DL Envelopes, and custom sizes Optional Trays: 5.5" x 8.5" to 11" x 17" Com 10, Monarch, C6, C5, DL
Paper Weight	Trays: 16 to 28 lb. Bond Bypass tray: 16 lb. Bond to 90 lb. Index Optional Trays: 16 to 34 lb. Bond
Paper Types	Plain paper, card stock, OHP, labels, envelopes
Duplex Printing	Optional
Warm-up Time	Less than 99 seconds
Power Consumption	1,500W or less Energy Star Mode: 35W or less

Controller Specifications

CPU	RM5261 250 MHz
Printer Languages	Adobe PostScript 3, PCL5c emulation, RPCS
Fonts	PCL5c: 35 Intellifonts, 10 TrueType fonts, 1 Bitmap font (31 fonts can be downloaded using Agfa Font Manager) Adobe PostScript: 136 Adobe Type 1 fonts
Memory	64 MB RAM; expansion up to 384 MB Note: Standard 64 MB must be removed to install maximum 384 MB RAM
Standard Interface	10/100 BaseTX Ethernet; USB 2.0, IEEE 1284 compliant Parallel port
Optional Interface	IEEE 1394 port, IEEE 802.11b
Network Protocols	TCP/IP, IPX/SPX, NetBEUI, AppleTalk, IPP (Internet Printing Protocol) For Unix support, visit www.savin.com
Management Utilities	SmartNetMonitor; Web Status Monitor; Printer Utility for Mac
Driver	PCL5c: Windows 95/98/Me/NT 4.0/2000/XP PS: Windows 95/98/Me/NT 4.0/2000, Macintosh 8.1 or later, UNIX RPCS: Windows 95/98/Me/NT 4.0/2000/XP

Controller Options

Hard Disk Drive (20GB Minimum)	HDD is necessary for the Locked Print (Secure Printing), Sample Print, Permanent Font Downloading and Job Spooling. Either HDD or total of 128MB memory is necessary for Electronic Sorting function.
IEEE 1394 Interface Board Type 4510	Included Cables 2.0m 6 pin to 6 pin cable, 2.0m 6 pin to 4 pin cable
Hardware Specifications	6 pins; 2 ports available
Data Transmission Speed	100/200/400 Mbps
System Requirements	Windows 2000 Professional/Server with Service Pack 1 Minimum 128MB memory is required.
IEEE 802.11b Wireless LAN Interface Type A*	Data Transmission Speed 1/2/5.5/11 Mbps *Cannot be used simultaneously with 10/100 BaseTX Ethernet; must be manually selected at printer control panel
Memory Options	144-pin DIMM; SDRAM (PC133 compliant) 64MB, 128MB, 256MB
User Account Enhancement Unit Type B	Up to 400 user codes Requires SmartNetMonitor 5 or higher

Optional Paper Handling Accessories

Paper Input Options	500 sheets x 1 tray Up to two trays can be installed Paper Sizes: 5.5" x 8.5" to 11" x 17"
Automatic Duplex Unit	Paper Weights: 16 lb. to 28 lb. Bond Note: Requires installation of Interchange Unit.
500-Sheet Finisher	Paper Sizes: 8.5" x 11" to 11" x 17" Paper Weights: 16 lb. to 34 lb. Bond Normal mode capacity: 500 sheets letter, 20 lb. Bond, 250 sheets legal, 11" x 17" Staple Capacity: Up to 30 sheets letter or 20 sheets 11" x 17" Note: Requires installation of Interchange Unit. Cannot be installed simultaneously with 4-Bin Mailbox.
4-Bin Mailbox	Paper Type: Plain paper, 8.5" x 11" to 11" x 17" Paper Weight: 16 lb. to 34 lb. Bond Stack Capacity: 125 sheets per bin Note: Requires installation of Interchange unit. Cannot be installed simultaneously with 500-sheet Finisher.

Gestetner

Gestetner Stamford, Connecticut 06904
Product specifications subject to change without notice.
Windows® and Windows® 95/98/Me/NT4.0/2000/XP are registered trademarks of Microsoft Corporation.
Macintosh® Mac®OS and AppleTalk® are registered trademarks of Apple Computer, Inc. Adobe® and
PostScript® are trademarks of Adobe Systems, Inc. PCL® is a registered trademark of Hewlett-Packard
Company. All other trademarks are the property of their respective owners.
Printed in U.S.A. (G1753) 25M 12/02

